Glowook


iGrowpot: Abel



www.growook.com Phone:+86-0512-58920500 Email:sales@growook.com

Specification

Product Name	Abel	Size of plant basket (inner)	Ф170*85mm	
Material	ABS	Net weight	4500g	
Input voltage	5VDC	Working Temperature	0°C—40°C	
Current	0.15A	Warranty	1yrs	
Power(Max.)	0.75W	Certification	CE/FCC/ROHS	357
Water capacity(Max.)	12.5L/3.3(us gal)	Size	Ф345*Ф205*Н357 (mm)	
)Water capacity (Min)	2L	Package size	355*355*365(mm)	
Add water	More than 20 days			



iGrowpot—Abel



How to install and use



Function

- Micro USB 5VDC port: Power supply and communication with 80W growth lamp for synchronous control.
- Select key: Select different growing period: Seedling, Growth, Flower.
 Locked after 15s without any operation, long press 2s to unlock.
- On/Off key: Switch for grow pot, turn on/off the grow lamp at the same time when communicating with the grow lamp.
- Seedling, Growth, Flower: It's indicator light, when the indicator light is on, it means that during the growth period, when the communication with the growth lamp is communicated, the lamp period of the growth lamp also changes.
- Seedling: The humidity of root is high, communicate with the lamp , the light 20H ON, 4H OFF.
- Growth: the humidity of root is middle, communicate with the lamp , the light 18H ON, 6H OFF.
- Flower: At this period, the root has grown into the water and the amount of water spray is reduced. communicate with the lamp, the light 12H ON, 12H OFF.
- Water 、 PH: When the indicator light flashes, it means to test the PH value in the water or change the water. When finished, press the Water and PH keys, the flashing indicator light goes out and the timing starts again.



iGrowpot—Abel

Effect of planting









Seedling

Fruit